

WEST Search History

[Hide Items](#)[Restore](#)[Clear](#)[Cancel](#)

DATE: Wednesday, March 30, 2005

<u>Hide?</u>	<u>Set Name</u>	<u>Query</u>	<u>Hit Count</u>
		<i>DB=PGPB,USPT; PLUR=YES; OP=OR</i>	
<input type="checkbox"/>	L11	glyph\$1 and sub-glyph\$1 and manipul\$3 and display\$3	2
<input type="checkbox"/>	L10	glyph\$1 and sub-glyph\$1	5
<input type="checkbox"/>	L9	348/564.ccls.	516
<input type="checkbox"/>	L8	345/810.ccls.	0
<input type="checkbox"/>	L7	345/967.ccls.	0
<input type="checkbox"/>	L6	345/960.ccls.	23
<input type="checkbox"/>	L5	345/959.ccls.	11
<input type="checkbox"/>	L4	345/646.ccls.	64
<input type="checkbox"/>	L3	345/475.ccls.	131
<input type="checkbox"/>	L2	345/474.ccls.	336
<input type="checkbox"/>	L1	345/473.ccls.	991

END OF SEARCH HISTORY



US Patent & Trademark Office

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide

+animation glyph and sub-glyph

SEARCH

THE ACM DIGITAL LIBRARY


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)
Terms used animation glyph and sub glyph

Found 679 of 151,219

Sort results by

relevance ☒[Save results to a Binder](#)[Try an Advanced Search](#)[Try this search in The ACM Guide](#)

Display results

expanded form ☒[Search Tips](#)☐ Open results in a new window

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

Relevance scale ☐ ☐ ☐ ☐ ☐**1** UFLOW: visualizing uncertainty in fluid flow

Suresh K. Lodha, Alex Pang, Robert E. Sheehan, Craig M. Wittenbrink

October 1996 **Proceedings of the 7th conference on Visualization '96**

Full text available:

pdf(2.62 MB)

[Publisher Site](#)Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)
Keywords: animation, flow envelopes, flow visualization, rakes, streamlines, uncertainty glyphs
2 Flexible information visualization of multivariate data from biological sequence similarity searches

Ed Huai-hsin Chi, John Riedl, Elizabeth Shoop, John V. Carlis, Ernest Retzel, Phillip Barry

October 1996 **Proceedings of the 7th conference on Visualization '96**

Full text available:

pdf(1.23 MB)

[Publisher Site](#)Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)
Keywords: applications of visualization, biomedical visualization, information visualization, multimodal and multidimensional visualization
3 Empowering the interface: A seamless integration of algorithm animation into a visual programming language

Paul Carlson, Margaret Burnett, Jonathan Cadiz

May 1996 **Proceedings of the workshop on Advanced visual interfaces**

Full text available:

pdf(1.35 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)

Until now, only users of textual programming languages have enjoyed the fruits of algorithm animation. Users of visual programming languages (VPLs) have been deprived of the unique semantic insights algorithm animation offers, insights that would foster the understanding and debugging of visual programs. To begin solving this shortcoming, we have seamlessly integrated algorithm animation capabilities into Forms/3, a declarative VPL in which evaluation is the continuous maintenance of a network o ...

4 Session C4: bio-medical II: 4D space-time techniques: a medical imaging case study 

Melanie Tory, Niklas Röber, Torsten Möller, Anna Celler, M. Stella Atkins
October 2001 **Proceedings of the conference on Visualization '01**

Full text available:  pdf(1.27 MB)  Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)
[Publisher Site](#)

We present the problem of visualizing time-varying medical data. Two medical imaging modalities are compared --- MRI and dynamic SPECT. For each modality, we examine several derived scalar and vector quantities such as the change in intensity over time, the spatial gradient, and the change of the gradient over time. We compare several methods for presenting the data, including isosurfaces, direct volume rendering, and vector visualization using glyphs. These techniques may provide more informati ...

Keywords: 4D visualization, I.3.3 animations, I.3.7 display algorithms, J3 health, MRI, direct volume rendering, dynamic SPECT, glyph, isosurface

5 Visualisation I: Animated visual vibrations as an uncertainty visualisation technique 

Ross Brown
June 2004 **Proceedings of the 2nd international conference on Computer graphics and interactive techniques in Australasia and Southe East Asia**

Full text available:  pdf(286.79 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Research into the visualisation of imprecise data is a relatively new field in visualisation. Work is beginning to appear detailing the process of visualising uncertainty in data. Continuing previous work by the author, this paper seeks to extend techniques used to visualise uncertainty from the spatial to the temporal domain, by using visual vibrations to indicate the level of imprecision at a visualised data point. The paper contains an analysis of the present visual features used to indicate ...

Keywords: stereo vision, uncertainty visualisation, vibrating textures, visual features

6 Glyphs: flyweight objects for user interfaces 

Paul R. Calder, Mark A. Linton
August 1990 **Proceedings of the 3rd annual ACM SIGGRAPH symposium on User interface software and technology**

Full text available:  pdf(1.04 MB) Additional Information: [full citation](#), [references](#), [citing](#)s, [index terms](#)

7 Animating direct manipulation interfaces 

Bruce H. Thomas, Paul Calder
December 1995 **Proceedings of the 8th annual ACM symposium on User interface and software technology**

Full text available:  pdf(915.22 KB) Additional Information: [full citation](#), [references](#), [citing](#)s, [index terms](#)

Keywords: InterViews, animation, direct manipulation, graphical interfaces, user interface toolkits, warp transformation

8 Animating user interfaces using animation servers 

Krishna Bharat, Piyawadee Noi Sukaviriya

December 1993 **Proceedings of the 6th annual ACM symposium on User interface software and technology**


Full text available:  pdf(1.21 MB) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

Keywords: CSCW, animation server, application state, context-sensitivity, extensible interfaces, multimedia, user interface animation

9 Optimizing toolkit-generated graphical interfaces 

Bradley T. Vander Zanden

November 1994 **Proceedings of the 7th annual ACM symposium on User interface software and technology**

Full text available:  pdf(1.12 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Researchers have developed a variety of toolkits that support the development of highly interactive, graphical, direct manipulation applications such as animations, process monitoring tools, drawing packages, visual programming languages, games, and data and program visualization systems. These toolkits contain many useful features such as 1) structured graphics, 2) automatic display management, 3) constraints, and 4) high-level input-handling models. Despite a number of optimizations that ...

Keywords: automatic redisplay, constraints, development tools, optimization, structured graphics

10 LISTEN: sounding uncertainty visualization 

Suresh K. Lodha, Catherine M. Wilson, Robert E. Sheehan

October 1996 **Proceedings of the 7th conference on Visualization '96**

Full text available:  pdf(1.53 MB)  [Publisher Site](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

Keywords: MIDI, flow, geometry, interactive, interpolation, modular, portable, sonification, uncertainty, visualization

11 Contextualized text explanations for visualizations 

Wallace Chigona, Thomas Strothotte

June 2002 **Proceedings of the 2nd international symposium on Smart graphics**


Full text available:  pdf(1.19 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)

According to the multimedia design principle of spatial contiguity, presenting text explanations for visualizations within the image space improves the users' ability to make referential links between the text and its corresponding objects. In this paper we introduce a concept of *Dual-Use of Image Space* (DUIS) and we show how the concept presents text explanations for visualizations within the image space without obstructing the image. In DUIS the pixels are used both as shading informati ...

Keywords: dual-use of image space, hypertext navigation, image maps, smooth transition, spatial contiguity, text explanations

ActiveText: a method for creating dynamic and interactive texts

Jason E. Lewis, Alex Weyers

November 1999 **Proceedings of the 12th annual ACM symposium on User interface software and technology**Full text available:  pdf(226.86 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

This paper describes ActiveText, a method for creating dynamic and interactive texts. ActiveText uses an object-based hierarchy to represent texts. This hierarchy makes it easy to work with the ASCII component and pixel component of the text at the same time. Static, dynamic and interactive properties of text can be easily intermixed and layered. The user can enter and edit text, adjust static and dynamic layout, apply dynamic and interactive behaviors, and adjust their parameters with a co ...

Keywords: continuous editing, dynamic sketching, dynamic typography, interactive text, typography

13 Integrating computer technology, people technology and application technology: strategies and case studies from Georgia Tech's Graphics, Visualization and Usability Center

Jim Foley

June 1994 **Proceedings of the workshop on Advanced visual interfaces**Full text available:  pdf(1.27 MB) Additional Information: [full citation](#), [index terms](#)

14 Using the multi-layer model for building interactive graphical applications

Jean-Daniel Fekete, Michel Beaudouin-Lafon

November 1996 **Proceedings of the 9th annual ACM symposium on User interface software and technology**Full text available:  pdf(1.29 MB) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

Keywords: graphic model, interaction, multi-layer model, optimizations, toolkits

15 Session H: Multimedia: Improving readability of contextualized text explanations

Wallace Chigona, Thomas Strothotte

February 2003 **Proceedings of the 2nd international conference on Computer graphics, virtual Reality, visualisation and interaction in Africa**Full text available:  pdf(377.25 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Dual-Use of Image Space (duis) is an interactive technique for presenting text corresponding to images *within* the image space. From a technical point of view, the pixels in the image space are used both as text which can be read as well as for shading. This approach raises a number of interesting new readability problems: First, in order to simulate shading, the weight and the width of the character glyphs are manipulated. We have noted that readers find reading text with weight ...

Keywords: distortion, dual-use of image space, monotone polygons, multi-column presentation, readability, text layout

16

Perceptually based brush strokes for nonphotorealistic visualization

Christopher G. Healey, Laura Tateosian, James T. Enns, Mark Remple
January 2004 **ACM Transactions on Graphics (TOG)**, Volume 23 Issue 1

Full text available:  pdf(479.81 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

An important problem in the area of computer graphics is the visualization of large, complex information spaces. Datasets of this type have grown rapidly in recent years, both in number and in size. Images of the data stored in these collections must support rapid and accurate exploration and analysis. This article presents a method for constructing visualizations that are both effective and aesthetic. Our approach uses techniques from master paintings and human perception to visualize a multidimensional ...

Keywords: Abstractionism, Impressionism, color, computer graphics, human vision, nonphotorealistic rendering, perception, psychophysics, scientific visualization, texture

17 Hypermedia and Graphics 2: Vector graphics: from PostScript and Flash to SVG

Steve Proberts, Julius Mong, David Evans, David Brailsford

November 2001 **Proceedings of the 2001 ACM Symposium on Document engineering**

Full text available:  pdf(127.00 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)


The XML-based specification for Scalable Vector Graphics(SVG), sponsored by the World Wide Web consortium, allows for compact and descriptive vector graphics for the Web. This paper describes a set of three tools for creating SVG, either from first principles or via the conversion of existing formats. The *ab initio* generation of SVG is effected from a server-side CGI script, using a PERL library of drawing functions; later sections highlight the problems of converting Adobe PostScript and ...

Keywords: Flash, PDF, PostScript, SVG, SWF

18 Vector Plots for Irregular Grids

Don Dovey

October 1995 **Proceedings of the 6th conference on Visualization '95**

Full text available:  pdf(625.40 KB)

Additional Information: [full citation](#), [abstract](#)



[Publisher Site](#)

A standard method for visualizing vector fields consists of drawing many small "glyphs" to represent the field. This paper extends the technique from regular to curvilinear and unstructured grids. In order to achieve a uniform density of vector glyphs on nonuniformly spaced grids, the paper describes two approaches to resampling the grid data. One of the methods, an element-based resampling, can be used to visualize vector fields at arbitrary surfaces within three-dimensional grids.

Keywords: visualization, unstructured grids

19 ViBE: virtual biology experiments

Rajaram Subramanian, Ivan Marsic

April 2001 **Proceedings of the tenth international conference on World Wide Web**

Full text available:  pdf(446.09 KB) Additional Information: [full citation](#), [references](#), [index terms](#)

Keywords: distributed learning, software design, virtual laboratories



20 Two-handed interactive stereoscopic visualization

David S. Ebert, Christopher D. Shaw, Amen Zwa, Cindy Starr

October 1996 **Proceedings of the 7th conference on Visualization '96**

Full text available:  [pdf\(4.38 MB\)](#)

Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)